

SPECIAL USE PERMIT APPLICATION



TOWN OF CHAPEL HILL
Planning Department
405 Martin Luther King Jr. Blvd
Chapel Hill, NC 27514
phone (919) 968-2728 fax (919) 969-2014
www.townofchapelhill.org

Parcel Identifier Number (PIN): 9870710609, 9870811605, & 9870822048

Date: June 29, 2015

Section A: Project Information

Project Name: Merin Road Community
Property Address: 1920 & 2004 Homestead Road Zip Code: 27516
2019 Billabong Lane
Use Groups (A, B, and/or C): A & A1 Existing Zoning District: R-1 & R-1A
Project Description: DB 5787 PG 102, DB 1286 PG 413, & DB 322 PG 646

Section B: Applicant, Owner and/or Contract Purchaser Information

Applicant Information (to whom correspondence will be mailed)

Name: Advanced Civil Design, Inc.
Address: 51 Kilmayne Drive, Suite 105
City: Cary State: NC Zip Code: 27511
Phone: 919-481-6290 Email: crice@advancedcivildesign.com

The undersigned applicant hereby certifies that, to the best of his knowledge and belief, all information supplied with this application is true and accurate.

Signature: *Camryn M. Rice* Date: 6/26/15

Owner/Contract Purchaser Information:

Owner Contract Purchaser
Name: CapKov Ventures, Inc.
Address: P.O. Box 16815
City: Chapel Hill State: NC Zip Code: 27516
Phone: 919-942-8005 (office) Email: ericbchupp@bellsouth.net
919-260-7262 (cell)

The undersigned applicant hereby certifies that, to the best of his knowledge and belief, all information supplied with this application is true and accurate.

Signature: *Eric Chupp* Date: June 26, 2015



PROJECT FACT SHEET
 TOWN OF CHAPEL HILL
 Planning Department

Section A: Project Information

Application type: Special Use Permit Date: June 29, 2015

Project Name: Merin Road Community

Use Type: (check/list all that apply)

Office/Institutional Residential Mixed-Use Other: _____

Overlay District: (check all those that apply)

Historic District Neighborhood Conservation District Airport Hazard Zone

Section B: Land Area

Net Land Area (NLA): Area within zoning lot boundaries		NLA=	1,076,181	sq. ft.
Choose one, or both, of the following (a or b), not to exceed 10% of NLA	a) Credited Street Area (total adjacent frontage) x ½ width of public right-of-way	CSA=	103,130	sq. ft.
	b) Credited Permanent Open Space (total adjacent frontage) x ½ public or dedicated open space	COS=	4,488	sq. ft.
TOTAL: NLA + CSA and/or COS = Gross Land Area (not to exceed NLA + 10%)		GLA=	1,183,799	sq. ft.

Section C: Special Protection Areas, Land Disturbance, and Impervious Area

Special Protection Areas: (check all those that apply)

Jordan Buffer Resource Conservation District 100 Year Floodplain Watershed Protection District

Land Disturbance	Total (sq ft)
Area of Land Disturbance (Includes: Footprint of proposed activity plus work area envelope, staging area for materials, access/equipment paths, all grading, including off-site clearing)	606,152
Area of Land Disturbance within RCD	0
Area of Land Disturbance within Jordan Buffer	0

Impervious Areas	Existing (sq ft)	Demolition (sq ft)	Proposed (sq ft)	Total (sq ft)
Impervious Surface Area (ISA)	19,416	19,416	339,624	339,624
Impervious Surface Ratio: Percent Impervious Surface Area of Gross Land Area (ISA/GLA) %	1.64%	1.64%	28.9%	28.9%
If located in Watershed Protection District, % of impervious surface on 7/1/1993	N/A	N/A	N/A	N/A



PROJECT FACT SHEET
 TOWN OF CHAPEL HILL
 Planning Department

Section D: Dimensions

Dimensional Unit (sq ft)	Existing (sq ft)	Demolition (sq ft)	Proposed (sq ft)	Total (sq ft)
Number of Buildings	(3) 7,771	(3) 7,771	61&9 (640sf-TH)	61&9 (640sf-TH)
Number of Floors	2-1 & 1-1.5	2-1 & 1-1.5	2-3	2-3
Recreational Space	0	0	39,446	39,446

Residential Space				
Dimensional Unit (sq ft)	Existing (sq ft)	Demolition (sq ft)	Proposed (sq ft)	Total (sq ft)
Floor Area (all floors – heated and unheated)	5,531	5,351	n/a	n/a
Total Square Footage of All Units	4,553	4,553	n/a	n/a
Total Square Footage of Affordable Units	0	0	11,520	11,520
Total Residential Density	0.11 units/ac	0.11 units/ac	2.57 units/ac	2.57 units/ac
Number of Dwelling Units	3	3	70	70
Number of Affordable Dwelling Units	0	0	9	9
Number of Single Bedroom Units	3	3	0	0
Number of Two Bedroom Units	0	0	5	5
Number of Three Bedroom Units	0	0	19	19
Number of Four Bedroom Units	0	0	46	46

Non-Residential Space (Gross Floor Area in Square Feet)					
Use Type	Existing	Proposed	Uses	Existing	Proposed
Commercial					
Restaurant			# of Seats		
Government					
Institutional					
Medical					
Office					
Hotel			# of Rooms		
Industrial					
Place of Worship			# of Seats		
Other					

Project Perimeter Dimensional Requirements (does not apply to interior lots)		Required by Ordinance	Existing	Proposed
Setbacks (minimum)	Street	28'	n/a	0' (1)
	Interior (neighboring property lines)	14'	n/a	0' (1)
	Solar (northern property line)	17'	n/a	0' (1)
Height (maximum)	Primary	29'	n/a	n/a
	Secondary	40'	n/a	n/a'
Streets	Frontages	64'	varies	55' (2)
	Widths	80'	varies	54' r/w (3)

(1) Front & Rear = 0', Side = 0' (for side yards 12-ft separation to be maintained between buildings)
 (2) R/w frontage less than 55' are Lots 6 & 7 = 30', Lot 14 = 48', Lots 17 & 18 = 46', & Lot 47 = 32'
 (3) Western loop road & eastern cul-de-sac street propose r/w less than 54', see Section F below.



PROJECT FACT SHEET

TOWN OF CHAPEL HILL

Planning Department

Section F: Adjoining or Connecting Streets and Sidewalks

(Note: For approval of proposed street names, contact the Engineering Department)

Street Name	Right-of-way Width	Pavement Width	Number of Lanes	Existing Sidewalk*	Existing curb/gutter
Homestead Road (SR 1127)	80'	27'	2	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> Yes
Merin Road (SR 2251)	50'	18'	2	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> Yes
Billabong Lane (SR 2252)	60'	18'	2	no	no

List Proposed Points of Access (Ex: Number, Street Name):

*If existing sidewalks do not exist and the applicant is adding sidewalks, please provide the following information:

Sidewalk Information			
Street Names	Dimensions	Surface	Handicapped Ramps
Local Public Streets - (1,915 lf +/-)	27' b/b 54' r/w	Asphalt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Local Public Streets - (342 lf +/-)	27' b/b 35' r/w	Asphalt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Local Public Streets - (593 lf +/-)	27' b/b 49.5' r/w	Asphalt	x No

Section G: Parking Information

Parking Spaces	Minimum	Maximum	Proposed
Regular Spaces	13	18	18
Handicap Spaces	0	0	0
Total Spaces	13	18	18
Loading Spaces	0	0	0
Bicycle Spaces	3	n/a	4
Surface Type	Asphalt		

Section H: Landscape Buffers

Location (North, South, Street, Etc.)	Minimum Width	Proposed Width	Alternate Buffer	Modify Buffer
Homestead Road ⁽¹⁾	20'	20'	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes
Merin Road ⁽²⁾	15'	20'	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes
Billabong Ln. Residences ⁽¹⁾ ⁽³⁾	10'	15' & 30'	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes
Southeast	10'	10'	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes

(1) Per Section 5.6.6 of the LUMO

(2) Buffer increased in good faith per discussions with The Episcopal Church of the Advocate

(3) Buffer increased in good faith per discussions with Miller & Ferreiro families



PROJECT FACT SHEET

TOWN OF CHAPEL HILL

Planning Department

Section I: Land Use Intensity

Existing Zoning District:

Proposed Zoning Change (if any):

Note: Refer to Table 3.8-1 (Dimensional Matrix) in the Land Use Management Ordinance for help completing this table.

Zoning – Area – Ratio			Impervious Surface Thresholds			Minimum and Maximum Limitations	
Zoning District(s)	Floor Area Ratio (FAR)	Recreation Space Ratio (RSR)	Low Density Residential (0.24)	High Density Residential (0.50)	Non-Residential (0.70)	Maximum Floor Area (MFA) = FAR x GLA	Minimum Recreation Space (MSR) = RSR x GLA
R-1 & R-1A	n/a	0.025	n/a	0.50	n/a	n/a	29,595 sf
TOTAL							
RCD Streamside		0.01					
RCD Managed		0.019					
RCD Upland							

Section J: Utility Service

Check all that apply

Water	<input checked="" type="checkbox"/> OWASA	<input type="checkbox"/> Individual Well	<input type="checkbox"/> Community Well	<input type="checkbox"/> Other
Sewer	<input checked="" type="checkbox"/> OWASA	<input type="checkbox"/> Individual Septic Tank	<input type="checkbox"/> Community Package Plant	<input type="checkbox"/> Other
Electrical	<input checked="" type="checkbox"/> Underground	<input type="checkbox"/> Above Ground		
Telephone	<input checked="" type="checkbox"/> Underground	<input type="checkbox"/> Above Ground		
Solid Waste	<input checked="" type="checkbox"/> Town	<input type="checkbox"/> Private		



**SPECIAL USE PERMIT APPLICATION
SUBMITTAL REQUIREMENTS
TOWN OF CHAPEL HILL
Planning Department**

The following must accompany your application. Failure to do so will result in your application being considered incomplete. For assistance with this application, please contact the Chapel Hill Planning Department (Planning) at (919)968-2728 or at planning@townofchapelhill.org.

cmr	Application fee (including Engineering Review fee) (refer to fee schedule)	Amount Paid \$	11,243
cmr	Pre-application meeting – with appropriate staff (meeting held on 5/19/15)		
cmr	Digital Files - provide digital files of all plans and documents		
cmr	Recorded Plat or Deed of Property		
cmr	Project Fact Sheet		
cmr	Traffic Impact Statement – completed by Town’s consultant (or exemption)		
cmr	Description of Public Art Proposal		
cmr	Statement of Justification		
cmr	Response to Community Design Commission and Town Council Concept Plan comments		
cmr	Affordable Housing Proposal, if applicable		
n/a	Provide existing Special Use Permit, if Modification		
cmr	Mailing list of owners of property within 1,000 feet perimeter of subject property (see GIS notification tool)		
cmr	Mailing fee for above mailing list (mailing fee is double due to 2 mailings)	Amount Paid \$	\$300.30
cmr	Written Narrative describing the proposal		
cmr	Resource Conservation District, Floodplain, & Jordan Buffers Determination - necessary for all submittals		
n/a	Jurisdictional Wetland Determination – if applicable		
n/a	Resource Conservation District Encroachment Exemption or Variance (determined by Planning)		
n/a	Jordan Buffer Authorization Certificate or Mitigation Plan Approval (determined by Planning)		
cmr	Reduced Site Plan Set (reduced to 8.5"x11")		

Stormwater Impact Statement (1 copy to be submitted)

- a) Written narrative describing existing & proposed conditions, anticipated stormwater impacts and management structures and strategies to mitigate impacts
- b) Description of land uses and area (in square footage)
- c) Existing and proposed Impervious surface area in square feet for all subareas and project area
- d) Ground cover and uses information
- e) Soil information (classification, infiltration rates, depth to groundwater and bedrock)
- f) Time of concentration calculations and assumptions
- g) Topography (2-foot contours)
- h) Pertinent on-site and off-site drainage conditions
- i) Upstream and/or downstream volumes
- j) Discharges and velocities
- k) Backwater elevations and effects on existing drainage conveyance facilities
- l) Location of jurisdictional wetlands and regulatory FEMA Special Flood Hazard Areas



**SPECIAL USE PERMIT APPLICATION
SUBMITTAL REQUIREMENTS
TOWN OF CHAPEL HILL
Planning Department**

- m) Water quality volume calculations
- n) Drainage areas and sub-areas delineated
- o) Peak discharge calculations and rates (1, 2, and 25-year storms)
- p) Hydrographs for pre- & post-development without mitigation, post-development with mitigation
- q) Volume calculations and documentation of retention for 2-year storm
- r) 85% TSS removal for post-development stormwater run-off
- s) Nutrient loading calculations
- t) BMP sizing calculations
- u) Pipe sizing calculations and schedule (include HGL & EGL calculations and profiles)

Plan Sets (10 copies to be submitted no larger than 24"x36")

Plans should be legible and clearly drawn. All plan sets sheets should include the following:

- Project Name
- Legend
- Labels
- North Arrow (North oriented toward top of page)
- Property Boundaries with bearing and distances
- Scale (Engineering), denoted graphically and numerically
- Setbacks
- Streams, RCD Boundary, Jordan Riparian Buffer Boundary, Floodplain, and Wetlands Boundary, where applicable
- Revision dates and professional seals and signatures, as applicable

Cover Sheet

- a) Include Project Name, Project fact information, PIN, Design team

Area Map

- a) Project name, applicant, contact information, location, PIN, & legend
- b) Dedicated open space, parks, greenways
- c) Overlay Districts, if applicable
- d) Property lines, zoning district boundaries, land uses, project names of site and surrounding properties, significant buildings, corporate limit lines
- e) Existing roads (public & private), rights-of-way, sidewalks, driveways, vehicular parking areas, bicycle parking, handicapped parking, street names.
- f) 1,000' notification boundary

Existing Conditions Plan

- a) Slopes, soils, environmental constraints, existing vegetation, and any existing land features
- b) Location of all existing structures and uses
- c) Existing property line and right-of-way lines



**SPECIAL USE PERMIT APPLICATION
SUBMITTAL REQUIREMENTS
TOWN OF CHAPEL HILL
Planning Department**

- d) Existing utilities & easements including location & sizes of water, sewer, electrical, & drainage lines
- e) Nearest fire hydrants
- f) Nearest bus shelters and transit facilities
- g) Existing topography at minimum 2-foot intervals and finished grade
- h) Natural drainage features & water bodies, floodways, floodplain, RCD, Jordan Buffers & Watershed boundaries

Detailed Site Plan

- a) Existing and proposed building locations
- b) Description & analysis of adjacent land uses, roads, topography, soils, drainage patterns, environmental constraints, features, existing vegetation, vistas (on & off-site)
- c) Location, arrangement, & dimension of vehicular parking, width of aisles and bays, angle of parking, number of spaces, handicapped parking, bicycle parking . Typical pavement sections & surface type
- d) Location of existing and proposed fire hydrants
- e) Location and dimension of all vehicle entrances, exits, and drives
- f) Dimensioned street cross-sections and rights-of-way widths
- g) Pavement and curb & gutter construction details
- h) Dimensioned sidewalk and tree lawn cross-sections
- i) Proposed transit improvements including bus pull-off and/or bus shelter
- j) Required landscape buffers (or proposed alternate/modified buffers)
- k) Required recreation area/space (including written statement of recreation plans)
- l) Refuse collection facilities (existing and proposed) or shared dumpster agreement
- m) Construction parking, staging, storage area, and construction trailer location
- n) Sight distance triangles at intersections
- o) Proposed location of street lights and underground utility lines and/or conduit lines to be installed
- p) Easements
- q) Clearing and construction limits
- r) Traffic Calming Plan – detailed construction designs of devices proposed & associated sign & marking plan

Stormwater Management Plan

- a) Topography (2-foot contours)
- b) Existing drainage conditions
- c) RCD and Jordan Riparian Buffer delineation and boundary (perennial & intermittent streams, note ephemeral streams on site)
- d) Proposed drainage and stormwater conditions
- e) Drainage conveyance system (piping)
- f) Roof drains
- g) Easements
- h) BMP plans, dimensions, details, and cross-sections
- i) Planting and stabilization plans and specifications



Landscape Protection Plan

- a) Rare, specimen, and significant tree survey within 50 feet of construction area
- b) Rare and specimen tree critical root zones
- c) Rare and specimen trees proposed to be removed
- d) Certified arborist tree evaluation, if applicable
- e) Significant tree stand survey
- f) Clearing limit line
- g) Proposed tree protection /silt fence location
- h) Pre-construction/demolition conference note
- j) Landscape protection supervisor note
- k) Existing and proposed tree canopy calculations, if applicable

Planting Plan

- a) Dimensioned and labeled perimeter landscape bufferyard
- b) Off-site buffer
- c) Landscape buffer and parking lot planting plan (including planting strip between parking and building, entryway planting, and 35% shading requirement)

Steep Slope Plan

- a) Classify and quantify slopes 0-10%, 10-15%, 15-25% and 25% and greater
- b) Show and quantify areas of disturbance in each slope category
- c) Provide/show specialized site design and construction techniques

Grading and Erosion Control Plan

- a) Topography (2-foot contours)
- b) Limits of Disturbance
- c) Pertinent off-site drainage features
- d) Existing and proposed impervious surface tallies

Streetscape Plan, if applicable

- a) Public right-of-way existing conditions plan
- b) Streetscape demolition plan
- c) Streetscape proposed improvement plan
- d) Streetscape proposed utility plan and details
- e) Streetscape proposed pavement/sidewalk details
- f) Streetscape proposed furnishing details
- g) Streetscape proposed lighting details



Solid Waste Plan

- a) Preliminary Solid Waste Management Plan
- b) Existing and proposed dumpster pads
- c) Proposed dumpster pad layout design
- d) Proposed heavy duty pavement locations and pavement construction detail

Construction Management Plan

- a) Construction trailer location
- b) Location of construction personnel parking and construction equipment parking
- c) Location and size of staging and materials storage area
- d) Description of emergency vehicle access to and around project site during construction
- e) Delivery truck routes shown or noted on plan sheets

Energy Management Plan

- a) Description of how project will be 20% more energy efficient than ASHRAE Standards
- b) Description of utilization of sustainable forms of energy (Solar, Wind, Hydroelectric, and Biofuels)
- c) Participation in NC GreenPower program
- d) Description of how project will ensure indoor air quality, adequate access to natural lighting, and allow for proposed utilization of sustainable energy
- e) Description of how project will maintain commitment to energy efficiency and reduced carbon footprint over time
- f) Description of how the project's Transportation Management Plan will support efforts to reduce energy consumption as it affects the community

Exterior Elevations

- a) An outline of each elevation of the building, including the finished grade line along the foundation (height of building measured from mean natural grade).