




STANDARD DETAILS  
ENGINEERING DEPARTMENT



NOTES:

1. USE TYPE 1-2 ASPHALTIC CONCRETE PER NCDOT STD. SPECIFICATIONS (SECT. 610 & 645). THE ASPHALT PLANT MIX SHALL BE COMPACTED TO A DENSITY OF AT LEAST 94%.
2. TACK COAT PER NCDOT STD. SPECIFICATIONS (SECT. 605).

NOT TO SCALE

TITLE:

PARABOLIC  
SPEED HUMPS

REVISIONS


DET.NO.

TC-1



# STANDARD DETAILS

## ENGINEERING DEPARTMENT



NOTES:

1. USE TYPE 1-2 ASPHALTIC CONCRETE PER NCDOT STD. SPECIFICATIONS (SECT. 610 & 645). THE ASPHALT PLANT MIX SHALL BE COMPACTED TO A DENSITY OF AT LEAST 94%.
2. TACK COAT PER NCDOT STD. SPECIFICATIONS (SECT. 605).

NOT TO SCALE

TITLE:

**FLAT TOP  
SPEED HUMP**

REVISIONS

DET.NO.

TC-2



# STANDARD DETAILS ENGINEERING DEPARTMENT

## TYPICAL PAVEMENT MARKINGS

AT EDGE OF PAVEMENT SECTION WITH CONCRETE CURB AND GUTTER

DIRECTION OF TRAFFIC



VARIES

STREET CENTERLINE


DIRECTION OF TRAFFIC



1'

1' FROM EDGE OF PAVEMENT SECTION WITHOUT CONCRETE CURB AND GUTTER (TYP.)

NOT TO SCALE



TITLE:

**SPEED HUMP  
PAVEMENT  
MARKINGS**

REVISIONS





DET. NO.

TC-3



# STANDARD DETAILS

## ENGINEERING DEPARTMENT



NOTES:

1. USE TYPE I-2 ASPHALTIC CONCRETE PER NCDOT STD. SPECIFICATIONS (SECT. 610 & 645). THE ASPHALT PLANT MIX SHALL BE COMPACTED TO A DENSITY OF AT LEAST 94%.
2. TACK COAT PER NCDOT STD. SPECIFICATIONS (SECT. 605).

NOT TO SCALE

TITLE:	REVISIONS	DET.NO.
SPEED TABLE		TC-4



# STANDARD DETAILS

## ENGINEERING DEPARTMENT


### TYPICAL PAVEMENT MARKINGS

AT EDGE OF PAVEMENT SECTION WITH CONCRETE CURB AND GUTTER.

DIRECTION OF TRAFFIC



VARIES



STREET CENTERLINE

CROSSWALK MARKINGS

6'

5'

5'

6'


DIRECTION OF TRAFFIC



1'

1' FROM EDGE OF PAVEMENT SECTION WITHOUT CONCRETE CURB AND GUTTER (TYP.)

NOT TO SCALE



TITLE:

SPEED TABLE PAVEMENT MARKINGS


REVISIONS

DET.NO.

TC-5



# STANDARD DETAILS ENGINEERING DEPARTMENT




NOT TO SCALE

TITLE:		REVISIONS	DET. NO.
TRAFFIC CALMING SIGNS			TC-6



# STANDARD DETAILS

## ENGINEERING DEPARTMENT



**NOTES:**


1. PLEASE SEE "TRAFFIC CALMING SIGNS" DETAIL FOR MORE INFORMATION.
2. THE EXACT LOCATION OF THE SIGNS WILL BE DETERMINED BY THE TOWN.

NOT TO SCALE

TITLE: LOCATION OF TRAFFIC CALMING SIGNS	REVISIONS	DET.NO.
		TC-6A



# STANDARD DETAILS ENGINEERING DEPARTMENT



NOTES:

1. 8" x 6" MEDIAN CURB TO BE SECURED TO PAVEMENT SURFACE WITH 40d SPIKES @ 2'-0" O.C..


NOT TO SCALE

TITLE:	REVISIONS	DET.NO.
TYPICAL CURB DETAIL FOR DIVERTERS		TC-7





# STANDARD DETAILS ENGINEERING DEPARTMENT



NOT TO SCALE

TITLE:

STAMPED  
ASPHALT

REVISIONS

DET. NO.

TC-8